## **SAFETY DATA SHEET**

## 1) IDENTIFICATION

**Product Name:** MYDONEG SA FIXER / REPLENISHER

**Champion Product Code:** 140211

**Supplier:** CHAMPION PHOTOCHEMISTRY

INTERNATIONAL LIMITED

Hubert Road Brentwood Essex CM14 4JE United Kingdom

**Telephone No:** + 44 (0) 1277 263646

**Fax:** + 44 (0) 1277 260832

## 2) COMPOSITION/INFORMATION ON INGREDIENTS

## **Product Description:**

A concentrate fixer for the processing of C41 film. The product is an aqueous solution containing the following components:

Component	CAS No.	<u>%"/</u> <sub>w</sub>
Ammonium Thiosulphate	7783-18-8	20-25
Ammonium Thiocyanate	1762-95-4	5-10
Sodium Sulphite	7757-83-7	2-5

## 3) HAZARDS IDENTIFICATION

Human Health Hazards:

Not classified as hazardous.

CPIL/SDS/156 Revision No: 0 Date of Issue: 29.03.00 Page 1 of 6

## **Safety Hazards:**

Contact with alkalis, including photographic developer, liberates irritant gas, (ammonia). Contact with acids or strong oxidising agents liberates very toxic gases, (HCN & H<sub>2</sub>S).

# Environmental Hazards:

Will cause short term oxygen depletion if allowed to enter the aquatic environment..

#### 4) FIRST AID MEASURES

#### Eyes:

Flush immediately with eye-wash solution or clean water for at least 15 minutes holding the eyelids apart. Obtain medical attention if irritation develops.

#### Inhalation:

Inhalation of the product is not likely to occur. In the event of inhalation of vapour move to fresh air and obtain medical attention if symptoms occur.

#### **Skin Contact:**

Remove any contaminated clothing and wash skin thoroughly with water followed by a neutral cleanser and water. Wash contaminated clothing before re-use.

#### Ingestion:

Rinse mouth with water and drink two glasses of water. Do not induce vomiting. Obtain medical attention.

IN ALL CASES OF DOUBT OR IF SYMPTOMS PERSIST, SEEK MEDICAL ADVICE. SHOW THE PRODUCT LABEL AND THIS SAFETY DATA SHEET TO THE DOCTOR

## 5) FIRE-FIGHTING MEASURES

Not classified as flammable. If involved in a major fire, hazardous combustion products may include HCN, H<sub>2</sub>S, NH<sub>3</sub>

## **Extinguishing Media:**

Suitable for the surrounding fire.

CPIL/SDS/156 Revision No: 0 Date of Issue: 29.03.00 Page 2 of 6

## **Protective Equipment:**

Self-contained respiratory equipment.

## 6) ACCIDENTAL RELEASE MEASURES

#### **Personal Protection:**

When dealing with spillages of concentrates or working strength solution, use the personal protection specified in Section 8. Ensure spill area is well ventilated.

#### **Environmental Precautions:**

Prevent spillages from entering drain by absorption into inert absorbent material (eg. dry sand or earth) and transfer to a container for disposal by a licensed waste contractor.

#### Cleaning Up:

After collecting the bulk of the spillage thoroughly wash area to drain with water.

#### 7) HANDLING AND STORAGE

#### Handling:

When handling the product concentrates, avoid contact with eyes, skin and clothing. Use in a well ventilated area.

## Storage:

Store in a dry, well ventilated area at a moderate temperature. Store away from incompatible substances, (see Section 10).

## 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

Small quantities of sulphur dioxide and acetic acid vapour may be liberated from the product and during preparation of the working strength solution.

**UK Occupational Exposure Limits:** 

STEL (15 min) Sulphur Dioxide 13mg m<sup>-3</sup> TWA (8 hour) Sulphur Dioxide 5mg m<sup>-3</sup>

## **Engineering Measures:**

Ensure good ventilation or local exhaust ventilation of the whole working area.

## **Respiratory Protection:**

CPIL/SDS/156 Revision No: 0 Date of Issue: 29.03.00 Page 3 of 6

Should not be required.

#### **Skin Protection:**

Wear impervious gloves when handling product concentrates. Avoid excessive contact with the working strength solution. The regular use of a neutral, (non-alkaline) skin cleanser is recommended.

## **Eye Protection:**

Wear safety glasses with side-shields as the minimum level of protection. Provide eye-wash bottles in the immediate working area.

## 9) PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colourless or very pale yellow liquid

Odour: None

**pH at 20°C:** 6.4

Weight per ml at

**20°C:** 1.16g

Freezing Point: <0°C

Flammability: Not flammable

Solubility

**in water:** Completely miscible, (is an aqueous solution)

#### 10) STABILITY AND REACTIVITY

#### Stability:

Stable under recommended storage conditions.

#### Materials to avoid:

Avoid contact with strong acids and oxidising agents, (very toxic gases may be produced). Avoid contact with alkalis, including photographic developers, (Ammonia may be produced).

## **Hazardous Decomposition Products:**

None under normal conditions of use.

CPIL/SDS/156 Revision No: 0 Date of Issue: 29.03.00 Page 4 of 6

#### 11) TOXICOLOGICAL INFORMATION

## **Eye Contact:**

May cause irritation.

#### **Skin Contact:**

May cause irritation on prolonged or repeated contact.

## Ingestion:

The product is not classified as harmful, it does however contain ammonium thiocyanate. Symptoms following ammonium thiocyanate ingestion include nausea, vomiting, and behavioural disorders.

#### Inhalation:

Inhalation of vapour from concentrates or working strength solution may cause irritation; asthmatics or persons with respiratory problems may experience breathing difficulties.

## 12) ECOLOGICAL INFORMATION

The following summary of expected environmental effects is based on known data for the principal ingredients and on the physico-chemical properties of the preparation.

A moderate biochemical oxygen demand will result in short term oxygen depletion in the aquatic environment.

Used working strength solutions will contain varying levels of silver from processing.

As a result of the above properties, precautions should be taken to prevent the release of the product concentrates or working strength solution into the environment, (see Section 13).

#### 13) DISPOSAL CONSIDERATIONS

## **Surplus Product and Working Strength Solution:**

Disposal should be in accordance with current local and national legislation and only by a licensed waste contractor. Do not dispose of either concentrate or working strength solutions into drains, sewers, or waterways. Silver will be present at appreciable levels in used working strength solution and should be recovered before final disposal. Refer to Section 10 above before mixing with any other waste.

CPIL/SDS/156 Revision No: 0 Date of Issue: 29.03.00 Page 5 of 6

#### **Plastic Containers:**

Rinse thoroughly with water and dispose as solid waste to land fill or re-cycle where possible.

#### **Cardboard Cartons:**

Re-cycle where possible or treat as solid waste.

## 14) TRANSPORT INFORMATION

Not classified as hazardous.

#### 15) REGULATORY INFORMATION

Not classified as hazardous.

#### 16) OTHER INFORMATION

The information contained in this Safety Data Sheet does not constitute the users own assessment of work place risk as required by other health and safety legislation, (eg. COSHH Regulations in the UK).

**Document History** 

Prepared by: DS Revision No: 0

Revision Date: 29.03.00

Reference Sources Include: CHIP Regs and related ACOPs.

UK HSE EH40, Occupational Exposure Limits

Croner's First Aid Guide Raw Material MSDS

An asterisk (\*) in text indicates revision since last issue.

The information contained in this Safety Data Sheet is to our best present knowledge correct and complete and is given in good faith but without warranty.

CPIL/SDS/156 Revision No: 0 Date of Issue: 29.03.00 Page 6 of 6